

CITY OF OMAHA      CHAPTER 41 - AIR QUALITY CONTROL

ARTICLE IV.      WASTE INCINERATORS      DIVISION 1.      GENERALLY

SECTION 41-60. DEFINITIONS

For the purpose of this division, the following words and phrases shall have the meanings respectively ascribed to them:

Best Available Control Technology (BACT): An emission limitation or a design equipment work practice, operational standard or a combination thereof which results in the greatest degree of reduction of a pollutant in accordance with current engineering practices as determined by the director to be achieved by a source on a case-by-case basis, taking into account energy, public health, environmental and economic impacts and other costs.

Fly ash: Particulate matter capable of being gasborne or airborne and consisting essentially of fused ash and/or burned or unburned material.

Fugitive dust: Solid airborne particulate matter emitted from any source other than a flue or stack.

Fugitive emissions: Those emissions which could not have reasonably passed through a stack, chimney, vent or other functionally equivalent opening.

Opacity: A state which renders material partially or wholly impervious to rays of light and causes obstruction of an observer's view in accordance with EPA Method #9.

Particulate matter: Any airborne finely divided solid or liquid material with an aerodynamic diameter small than one hundred (100) micrometers.

New incinerator: Any incinerator installed or modified in the jurisdictional area of this division after the effective date of this division (February 21, 1990).

Violation: Any non-compliance with a provision of the City, State or Federal regulations or permit conditions.

## CITY OF OMAHA

[illegible]

## CITY OF OMAHA